Table 4E **2010 Pediatric Nutrition Surveillance** (1) Kentucky
Comparison of Racial and Ethnic Distribution by Region Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution													
Region	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %					
Region 01	7,904	71.3	12.5	8.7	0.0	0.9	6.5	0.0					
Region 02	12,952	69.3	16.1	7.6	0.1	0.8	6.0	0.0					
Region 03	8,316	76.8	6.0	9.9	0.0	0.7	6.5	0.0					
Region 04	2,111	81.1	6.8	7.2	0.3	0.9	3.7	0.0					
Region 05	15,138	75.6	8.5	8.5	0.1	0.4	6.9	0.0					
Region 06	38,922	45.1	35.4	12.7	0.1	1.8	4.9	0.0					
Region 07	18,504	77.9	6.4	11.0	0.3	0.9	3.6	0.0					
Region 08	3,545	91.1	2.5	3.2	0.0	0.2	2.9	0.0					
Region 09	5,338	93.8	1.0	3.9	0.0	0.5	0.8	0.0					
Region 10	7,608	93.1	1.0	2.8	0.1	0.2	2.8	0.0					
Region 11	9,706	97.7	0.5	1.2	0.0	0.1	0.5	0.0					
Region 12	8,068	97.5	0.9	0.7	0.0	0.1	0.8	0.0					
Region 13	17,621	96.6	1.0	1.2	0.0	0.2	1.0	0.0					
Region 14	13,376	88.1	1.5	7.8	0.0	0.2	2.2	0.0					
Region 15	34,487	65.8	12.4	16.2	0.0	0.9	4.6	0.0					
Kentucky	203,596	73.8	12.3	9.1	0.1	0.8	4.0	0.0					
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0					



Page:

Run Date: 3 / 25 / 11

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

<sup>(3)</sup> Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

# Table 5E 2010 Pediatric Nutrition Surveillance (1) Kentucky

Comparison of Age Distribution by Region Children Aged < 5 Years (2)

	Con	nparison of Age Dist	tribution	
Region	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
	(3,4)	%	%	%
Region 01	7,904	40.0	20.6	39.3
Region 02	12,952	42.2	18.5	39.3
Region 03	8,316	45.1	20.0	35.0
Region 04	2,111	56.3	31.8	11.9
Region 05	15,138	41.8	18.3	39.9
Region 06	38,922	45.3	19.7	35.0
Region 07	18,504	46.8	19.5	33.8
Region 08	3,545	38.6	19.3	42.1
Region 09	5,338	39.2	17.9	43.0
Region 10	7,608	41.2	18.7	40.2
Region 11	9,706	41.6	18.1	40.3
Region 12	8,068	39.9	18.1	41.9
Region 13	17,621	39.8	18.2	41.9
Region 14	13,376	40.2	18.9	40.9
Region 15	34,487	42.2	19.8	38.0
Kentucky	203,596	42.7	19.3	38.0
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

<sup>(1)</sup> Reporting period is January 1 through December 31.



Page:

Run Date:

3 / 25 / 11

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Records rejected if date of birth and date of visit unknown.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

# Table 6E 2010 Pediatric Nutrition Surveillance (1) Kentucky

Page: 3 Run Date: 3 / 25 / 11

		(	Comparis	on of G	rowth ar	nd Aner	mia Indi	cators		(3,4)		
		Birthweight	(5)				Δ	i				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)	Low	emia Hb/Hct (8)	
Region	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Region 01	1,866	9.1 (4)	7.8 (14)	7,440	6.6 (11)	5.8 (4)	16.3 (14)	3,022	16.1 (7)	14.7 (5)	4,174	13.1 (11)
Region 02	2,913	9.6 (7)	7.0 (10)	12,440	5.9 (8)	6.6 (8)	11.8 (7)	4,997	16.2 (8)	12.9 (2)	6,613	14.8 (13)
Region 03	1,923	8.9 (3)	6.3 (7)	8,103	7.7 (15)	5.3 (2)	11.6 (4)	2,854	17.0 (11)	15.8 (9)	3,450	6.9 (1)
Region 04	95	* *	* *	2,009	5.1 (5)	10.1 (14)	7.1 (1)	247	17.4 (13)	15.4 (7)	196	13.8 (12)
Region 05	3,787	7.8 (1)	7.0 (10)	14,761	7.1 (13)	5.4 (3)	12.8 (10)	5,877	15.8 (4)	13.8 (3)	7,988	11.8 (9)
Region 06	10,702	9.9 (8)	5.8 (4)	37,003	6.0 (9)	9.1 (13)	11.5 (3)	13,210	14.2 (1)	12.8 (1)	19,431	16.3 (15)
Region 07	5,225	8.5 (2)	6.6 (8)	17,453	4.4 (2)	7.7 (9)	10.2 (2)	6,108	15.8 (4)	13.8 (3)	8,129	12.1 (10)
Region 08	867	10.1 (9)	6.2 (6)	3,381	5.6 (7)	8.8 (12)	12.3 (8)	1,449	15.3 (2)	15.3 (6)	1,769	10.9 (8)
Region 09	1,299	9.3 (6)	7.2 (12)	5,129	5.5 (6)	6.1 (6)	13.9 (11)	2,210	17.7 (14)	18.3 (14)	2,746	8.1 (5)
Region 10	1,998	12.0 (13)	5.0 (2)	7,294	3.7 (1)	11.3 (15)	11.7 (6)	2,958	17.1 (12)	18.2 (12)	3,580	9.9 (7)
Region 11	2,468	12.5 (14)	4.5 (1)	9,187	6.0 (9)	8.5 (11)	14.1 (12)	3,752	15.5 (3)	17.7 (11)	4,729	9.1 (6)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this region's rate to other regions. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



## Table 6E 2010 Pediatric Nutrition Surveillance (1) Kentucky

Page: 4 Run Date: 3 / 25 / 11

			Comparis	on of Gr	owth ar	nd Aneı	mia Indi	cators		(3,4)		
		Birthweight	(5)				Anc	emia				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		_	Hb/Hct
Region	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% n <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Region 12	1,937	10.5 (11)	6.1 (5)	7,587	7.4 (14)	5.2 (1)	18.0 (15)	3,237	16.3 (9)	18.2 (12)	3,948	8.0 (4)
Region 13	4,583	11.3 (12)	6.9 (9)	16,914	5.0 (4)	8.2 (10)	14.7 (13)	7,138	18.0 (15)	20.9 (15)	9,090	7.0 (2)
Region 14	3,342	9.1 (4)	7.2 (12)	12,969	4.7 (3)	5.9 (5)	11.6 (4)	5,328	16.7 (10)	17.3 (10)	6,616	7.9 (3)
Region 15	8,841	10.3 (10)	5.6 (3)	33,044	6.9 (12)	6.3 (7)	12.6 (9)	12,802	15.8 (4)	15.4 (7)	16,821	15.3 (14)
Kentucky	51,846	9.9	6.3	194,714	5.9	7.3	12.6	75,189	16.0	15.6	99,280	12.2
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	5 16.4	14.7	5,524,196	14.9

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this region's rate to other regions. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



### Table 7E 2010 Pediatric Nutrition Surveillance

Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region Children Aged < 5 Years (3)

Page: Run Date:

(2)

3 / 25 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household <2 Hours TV Smoking in Breastfeeding **Exclusive Breastfeeding** Viewing/Day Household (6) (7) (8) % % % % Number % % % Region Number Number Number Number Number Number Ever Breastfed Breastfed Breastfed Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 6 12 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) O Region 01 1,810 52.4 (1) 1,128 15.7 (4) 1,041 5.6 (6) 3,201 88.8 (11) 7,904 18.9 (5) 2,640 6.9 (3) 0 5,224 84.7 (14) 12,951 Region 02 49.4 (2) 1,845 17.8 (1) 1,310 24.7 (8) 0 1,296 726 682 2.947 87.0 (13) 8,316 Region 03 30.6 (8) 8.7 (9) 6.2(5)22.6 (7) \* \* 0 65 56 252 Region 04 38 83.3 (15) 2,110 17.6 (4) \* \* 3,800 2,429 O Region 05 39.3 (5) 11.7 (5) 1,770 4.7 (9) 6,149 90.7 (9) 15,138 48.4 (12) Region 06 10,735 47.3 (3) 7,530 17.6 (2) 4,995 8.7 (1) 13,831 93.1 (1) 38,922 5.3 (1) 5,529 0 6,395 18,504 Region 07 34.9 (6) 3,693 11.1 (7) 2,470 6.7(4)92.3 (3) 47.0 (11) 0 \* \* 884 Region 08 29.3 (11) 555 8.6 (10) 463 4.3 (10) 1,530 87.1 (12) 3,545 49.5 (13) \* \* 0 2,264 5.338 1.313 30.0 (9) 907 11.5 (6) 605 5.1 (7) 90.9 (8) 22.4 (6) Region 09 \* \* 1,353 1,974 3.116 7,608 Region 10 30.0 (9) 9.2 (8) 940 5.1 (7) 91.3 (6) 50.6 (15) \* \* 6.5 (14) 0 Region 11 2.549 18.6 (14) 1.664 1.103 2.4 (14) 4.021 91.3 (6) 9.706 50.1 (14) Region 12 1.952 25.9 (12) 1.336 6.7 (13) 972 3.4 (12) 0 3.466 91.8 (4) 8.068 14.8 (2) 0 7.524 Region 13 4.610 25.0 (13) 2.826 2.233 3.0 (13) 91.7 (5) 17.621 8.6 (10) 28.9 (10)

- (1) Reporting period is January 1 through December 31.
- TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this region's rate to other regions. Rank 1 = best rate.
- Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



### Table 7E 2010 Pediatric Nutrition Surveillance (1)

Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region Children Aged < 5 Years (3)

Page: Run Date:

(2)

3 / 25 / 11

	Breastfeeding (6)							Exclusive Breastfeeding (7)				ırs TV g/Day 8)	Smoking in Household	
Region	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Region 14	3,326	33.4 (7)	2,428	8.6 (10)	1,725	4.0 (11)	0	* *	0	* *	5,602	90.4 (10)	13,376	27.9 (
Region 15	8,774	45.4 (4)	6,414	17.6 (2)	4,515	8.5 (2)	0	* *	0	* *	13,409	92.5 (2)	34,487	15.9 (
Kentucky	51,257	38.3	34,872	13.3	24,880	6.3	0	*	0	*	78,931	91.0	203,594	25.7



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> TV Viewing and Smoking in Household data are not reported by all contributors.

<sup>(3)</sup> Analyses based on one record per child.

<sup>(4)</sup> Excludes records with unknown data or errors.

<sup>(5)</sup> Rank compares this region's rate to other regions. Rank 1 = best rate.

<sup>(6)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>(7)</sup> The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

# Table 6E 2008 - 2010 Pediatric Nutrition Surveillance Kentucky (1)

Page: 7 Run Date: 3 / 25 / 11

		(	Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)				A					
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)	Low	eemia Hb/Hct (8)	
Region	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Region 01	6,107	9.1 (5)	6.7 (10)	22,420	6.8 (11)	6.0 (4)	16.1 (14)	9,041	16.5 (7)	14.5 (5)	13,785	13.8 (12)
Region 02	8,760	9.5 (7)	6.5 (9)	36,370	5.8 (8)	6.2 (6)	11.8 (3)	14,538	16.5 (7)	12.9 (1)	21,599	16.5 (15)
Region 03	6,675	8.5 (2)	5.9 (5)	25,939	7.8 (15)	5.1 (3)	12.3 (5)	9,646	17.4 (13)	15.8 (6)	14,142	7.3 (2)
Region 04	4,900	9.4 (6)	6.4 (8)	23,182	5.0 (4)	7.0 (9)	12.4 (6)	8,428	16.8 (10)	17.5 (12)	12,810	13.0 (10)
Region 05	8,806	8.4 (1)	7.3 (14)	36,771	7.3 (13)	4.6 (1)	13.8 (12)	14,770	16.1 (5)	13.9 (3)	22,227	10.8 (7)
Region 06	24,839	10.1 (9)	5.8 (4)	93,402	6.1 (9)	7.8 (12)	12.5 (7)	33,286	14.9 (1)	12.9 (1)	53,177	16.0 (13)
Region 07	12,728	8.9 (3)	6.7 (10)	44,440	4.6 (2)	7.2 (10)	10.8 (1)	15,461	16.1 (5)	14.2 (4)	23,498	13.1 (11)
Region 08	2,353	10.2 (11)	6.1 (7)	8,952	6.4 (10)	9.6 (14)	13.1 (8)	3,698	15.4 (3)	15.9 (7)	5,323	11.2 (9)
Region 09	3,123	10.0 (8)	7.8 (15)	13,306	5.4 (6)	6.2 (6)	13.7 (11)	5,641	17.7 (14)	17.4 (11)	8,145	9.3 (6)
Region 10	4,819	12.5 (15)	5.1 (2)	19,210	3.6 (1)	11.0 (15)	11.3 (2)	7,740	17.0 (12)	17.5 (12)	10,801	10.9 (8)
Region 11	6,431	12.0 (14)	4.5 (1)	24,678	5.7 (7)	8.8 (13)	13.5 (10)	10,103	14.9 (1)	16.4 (9)	14,303	9.2 (5)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this region's rate to other regions. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



#### Table 6E 2008 - 2010 Pediatric Nutrition Surveillance (1) Kentucky

Page: 8 Run Date: 3 / 25 / 11

	Comparison of Growth and Anemia Indicators (3,4)													
		Birthweight	(5)				And	emia						
		Low	High	Short Under- Obese Stature weight (6) (7) (7)				≥ 2 Yrs Over- weight (7)	Low Hb/Hct (8)					
Region	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% n <u>&gt;</u> 95th (Rank)	Number	% (Rank)		
Region 12	4,959	11.2 (13)	5.5 (3)	19,942	7.7 (14)	5.0 (2)	18.2 (15)	8,429	16.0 (4)	17.8 (14)	11,653	8.0 (3)		
Region 13	11,756	10.6 (12)	6.9 (13)	45,532	5.0 (4)	7.5 (11)	14.6 (13)	19,170	17.9 (15)	20.6 (15)	27,192	7.2 (1)		
Region 14	8,380	8.9 (3)	6.7 (10)	33,487	4.8 (3)	6.2 (6)	11.8 (3)	13,593	16.5 (7)	17.1 (10)	19,319	8.2 (4)		
Region 15	22,209	10.1 (9)	5.9 (5)	85,559	6.8 (11)	6.1 (5)	13.2 (9)	32,927	16.8 (10)	16.2 (8)	48,440	16.0 (13)		
Kentucky	136,845	9.9	6.2	533,190	6.0	6.8	13.1	206,471	16.3	15.7	306,414	12.5		



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Rank compares this region's rate to other regions. Rank 1 = best rate.

<sup>(5)</sup> Infants born during the reporting period included in the analysis.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(7)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(8)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

### Table 7E 2008 - 2010 Pediatric Nutrition Surveillance (1)

Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region Children Aged < 5 Years (3)

Page: Run Date:

(2)

3 / 25 / 11

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	, and Sn	noking	in House	hold (4,	5)		
			Breastfe	eeding				Exclusive	Breastfeed (7)	ling	≤2 Hours TV Viewing/Day (8)		Smok Hous	ing in ehold
Region	Number	% Ever Breastfed	Number	Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Numbe	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Region 01	7,974	47.6 (1)	4,980	10.7 (4)	4,080	4.4 (6)	0	* *	0	* *	9,820	89.3 (10)	15,160	20.3 (4)
Region 02	12,071	47.2 (2)	8,365	11.8 (3)	5,792	5.2 (3)	0	* *	0	* *	15,626	84.2 (15)	25,050	27.0 (8)
Region 03	8,171	33.6 (9)	4,979	6.9 (11)	3,746	3.2 (11)	0	* *	0	* *	10,377	86.8 (14)	17,226	26.9 (7)
Region 04	6,256	38.2 (6)	4,444	9.6 (5)	3,551	5.1 (4)	0	* *	0	* *	9,230	89.1 (12)	16,052	25.6 (6)
Region 05	12,759	38.7 (5)	8,475	8.5 (7)	6,042	4.1 (8)	0	* *	0	* *	15,925	89.2 (11)	25,226	46.3 (13)
Region 06	34,948	47.1 (3)	25,682	13.6 (2)	16,188	7.4 (2)	0	* *	0	* *	35,882	92.0 (4)	65,903	5.3 (1)
Region 07	17,922	34.7 (8)	11,901	8.4 (8)	7,581	4.9 (5)	0	* *	0	* *	16,690	91.8 (6)	32,549	40.1 (12)
Region 08	3,191	29.6 (11)	1,796	6.0 (12)	1,511	2.6 (12)	0	* *	0	* *	4,063	88.7 (13)	6,116	49.4 (14)
Region 09	4,505	32.5 (10)	3,076	9.4 (6)	2,104	4.4 (6)	0	* *	0	* *	6,037	90.5 (8)	8,951	23.0 (5)
Region 10	6,659	29.4 (12)	4,571	7.6 (9)	3,160	4.1 (8)	0	* *	0	* *	8,407	92.6 (2)	13,154	39.0 (11)
Region 11	8,920	20.0 (15)	5,360	4.3 (15)	3,899	1.7 (15)	0	* *	0	* *	11,226	91.9 (5)	17,100	50.0 (15)
Region 12	7,117	27.7 (13)	4,441	6.0 (12)	3,117	2.6 (12)	0	* *	0	* *	9,298	91.0 (7)	13,716	15.8 (2)
Region 13	16,129	26.5 (14)	9,591	5.6 (14)	7,375	2.4 (14)	0	* *	0	* *	20,834	93.1 (1)	30,764	27.6 (9)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this region's rate to other regions. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



### Table 7E 2008 - 2010 Pediatric Nutrition Surveillance (1)

Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region Children Aged < 5 Years (3)

Page: Run Date:

3 / 25 / 11

(2)

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	յ, and Sm	oking ii	n Housel	nold (4,	5)		
	Breastfeeding (6)							Exclusive Breastfeeding (7)				ırs TV g/Day 8)	Smoking in Household	
Region	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Numbei	Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Region 14	11,838	34.9 (7)	8,007	7.4 (10)	5,589	3.4 (10)	0	* *	0	* *	14,830	90.1 (9)	22,672	33.8 (10)
Region 15	31,119	46.5 (4)	21,598	14.5 (1)	14,547	7.5 (1)	0	* *	0	* *	35,659	92.4 (3)	59,343	16.9 (3)
Kentucky	189,579	38.6	127,266	10.2	88,282	5.1	0	*	0	*	223,904	90.7	368,982	25.5



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> TV Viewing and Smoking in Household data are not reported by all contributors.

<sup>(3)</sup> Analyses based on one record per child.

<sup>(4)</sup> Excludes records with unknown data or errors.

<sup>(5)</sup> Rank compares this region's rate to other regions. Rank 1 = best rate.

<sup>(6)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>(7)</sup> The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.